

Table 7: Species changing IUCN Red List Status (2016-2017)

Published listings of a species' status may change for a variety of reasons (genuine improvement or deterioration in status; new information being available that was not known at the time of the previous assessment; taxonomic changes; corrections to mistakes made in previous assessments, etc. To help Red List users interpret the changes between the Red List updates, a summary of species that have changed category between 2016 (IUCN Red List version 2016.3) and 2017 (IUCN Red List version 2017-3) and the reasons for these changes is provided in the table below.

IUCN Red List Categories: EX - Extinct, EW - Extinct in the Wild, CR - Critically Endangered, EN - Endangered, VU - Vulnerable, LR/cd - Lower Risk/conservation dependent, NT - Near Threatened (includes LR/nt - Lower Risk/near threatened), DD - Data Deficient, LC - Least Concern (includes LR/lc - Lower Risk, least concern).

Reasons for change: G - Genuine status change (genuine improvement or deterioration in the species' status); N - Non-genuine status change (i.e., status changes due to new information, improved knowledge of the criteria, incorrect data used previously, taxonomic revision, etc.); E - Previous listing was an Error.

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|-------------------------------------|----------------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| MAMMALS | | | | | |
| <i>Allactaga tetradactyla</i> | Four-toed Jerboa | VU | DD | N | 2017-2 |
| <i>Antilope cervicapra</i> | Blackbuck | NT | LC | N | 2017-2 |
| <i>Aotus nancymaae</i> | Nancy Ma's Night Monkey | LC | VU | G | 2017-1 |
| <i>Batomys granti</i> | Cordillera Hairy Tailed Rat | NT | LC | N | 2017-3 |
| <i>Cephalophus adersi</i> | Aders' Duiker | CR | VU | N | 2017-2 |
| <i>Cephalorhynchus commersonii</i> | Commerson's Dolphin | DD | LC | N | 2017-3 |
| <i>Chiropodomys major</i> | Greater Pencil-tailed Tree Mouse | DD | LC | N | 2017-2 |
| <i>Chrotomys mindorensis</i> | Lowland Chrotomys | NT | LC | N | 2017-2 |
| <i>Crateromys australis</i> | Dinagat Bushy-tailed Cloud Rat | CR | DD | N | 2017-2 |
| <i>Crocidura monax</i> | Kilimanjaro Shrew | LC | DD | N | 2017-3 |
| <i>Crocidura niobe</i> | Niobe's Shrew | NT | LC | N | 2017-2 |
| <i>Crocidura usambarae</i> | Usambara Shrew | EN | VU | N | 2017-3 |
| <i>Cryptotis griseoventris</i> | | VU | EN | N | 2017-3 |
| <i>Cryptotis meridensis</i> | Merida Small-eared Shrew | LC | VU | N | 2017-3 |
| <i>Delphinapterus leucas</i> | Beluga Whale | NT | LC | N | 2017-3 |
| <i>Dinomys branickii</i> | Pacarana | VU | LC | N | 2017-2 |
| <i>Emballonura furax</i> | New Guinea Sheath-tailed Bat | DD | LC | N | 2017-2 |
| <i>Eudorcas tilonura</i> | Heuglin's Gazelle | VU | EN | G | 2017-2 |
| <i>Felovia vae</i> | Felou Gundi | DD | LC | N | 2017-2 |
| <i>Gazella arabica</i> | Arabian Gazelle | DD | VU | N | 2017-2 |
| <i>Gazella gazella</i> | Mountain Gazelle | VU | EN | N | 2017-2 |
| <i>Habromys delicatus</i> | Delicate Deer Mouse | CR | EN | N | 2017-2 |
| <i>Hipposideros corynophyllus</i> | Telefomin Leaf-nosed Bat | DD | LC | N | 2017-2 |
| <i>Hipposideros edwardshilli</i> | Hill's Leaf-nosed Bat | DD | VU | N | 2017-2 |
| <i>Hipposideros muscinus</i> | Fly River Leaf-nosed Bat | DD | LC | N | 2017-2 |
| <i>Hipposideros semoni</i> | Semon's Leaf-nosed Bat | DD | LC | N | 2017-2 |
| <i>Hylaeamys oniscus</i> | Sowbug Rice Rat | VU | NT | N | 2017-2 |
| <i>Kobus leche</i> | Southern Lechwe | LC | NT | G | 2017-2 |
| <i>Microtus kikuchii</i> | Taiwan Vole | NT | LC | N | 2017-2 |
| <i>Monodon monoceros</i> | Narwhal | NT | LC | N | 2017-3 |
| <i>Mormopterus acetabulosus</i> | Mauritian Free-tailed Bat | VU | EN | N | 2017-2 |
| <i>Mormopterus loriae</i> | Loria's Free-tailed Bat | LC | DD | N | 2017-3 |
| <i>Neophocaena asiaeorientalis</i> | Narrow-ridged Finless Porpoise | VU | EN | G | 2017-3 |
| <i>Neotoma bryanti</i> | Bryant's Woodrat | EN | LC | N | 2017-3 |
| <i>Niviventer cremeriventer</i> | Sundaic Arboreal Niviventer | VU | LC | N | 2017-2 |
| <i>Niviventer culturatus</i> | Soft-furred Taiwan Niviventer | NT | LC | N | 2017-2 |
| <i>Nyctimene malaitensis</i> | Malaita Tube-nosed Bat | DD | LC | N | 2017-2 |
| <i>Orcaella brevirostris</i> | Irrawaddy Dolphin | VU | EN | G | 2017-3 |
| <i>Orcaella heinsohni</i> | Australian Snubfin Dolphin | NT | VU | N | 2017-3 |
| <i>Panthera uncia</i> | Snow Leopard | EN | VU | N | 2017-2 |
| <i>Pelea capreolus</i> | Grey Rhebok | LC | NT | G | 2017-2 |
| <i>Perognathus alticola</i> | White-eared Pocket Mouse | EN | VU | N | 2017-2 |
| <i>Pipistrellus murrayi</i> | Christmas Island Pipistrelle | CR | EX | G | 2017-2 |
| <i>Prometheomys schaposchnikowi</i> | Long-clawed Mole Vole | NT | LC | N | 2017-2 |
| <i>Pseudocheirus occidentalis</i> | Western Ringtail Possum | VU | CR | G | 2017-3 |
| <i>Pteralopex taki</i> | New Georgia Monkey-faced Bat | EN | VU | N | 2017-2 |
| <i>Pteropus cognatus</i> | Makira Flying Fox | EN | VU | N | 2017-2 |
| <i>Pteropus dasymallus</i> | Ryukyu Flying Fox | NT | VU | N | 2017-2 |
| <i>Pteropus mahaganus</i> | Sanborn's Flying Fox | VU | LC | N | 2017-2 |
| <i>Pteropus pselaphon</i> | Bonin Flying Fox | CR | EN | N | 2017-2 |
| <i>Pteropus rennelli</i> | Rennell Flying Fox | VU | EN | G | 2017-2 |
| <i>Pteropus rodricensis</i> | Rodrigues Flying Fox | CR | EN | G | 2017-2 |
| <i>Pteropus woodfordi</i> | Dwarf Flying Fox | VU | LC | N | 2017-2 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|-------------------------------------|--------------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Rattus jobiensis</i> | Yapen Rat | NT | LC | N | 2017-2 |
| <i>Rattus mindorensis</i> | Mindoro Mountain Rat | DD | LC | N | 2017-2 |
| <i>Redunca fulvorufula</i> | Mountain Reedbuck | LC | EN | G | 2017-2 |
| <i>Rhynchocyon cirnei</i> | Chequered Sengi | NT | LC | N | 2017-2 |
| <i>Saccoaimus mixtus</i> | Papuan Sheath-tailed Bat | DD | NT | N | 2017-2 |
| <i>Sicista kluchorica</i> | Kluchor Birch Mouse | NT | LC | N | 2017-2 |
| <i>Sousa chinensis</i> | Indo-Pacific Humpback Dolphin | NT | VU | N | 2017-3 |
| <i>Sousa teuszii</i> | Atlantic Humpbacked Dolphin | VU | CR | N | 2017-3 |
| <i>Sus ahoenobarbus</i> | Palawan Bearded Pig | VU | NT | N | 2017-3 |
| <i>Thomasomys incanus</i> | Inca Oldfield Mouse | VU | LC | N | 2017-2 |
| <i>Thomasomys ischyrus</i> | Strong-tailed Oldfield Mouse | VU | LC | N | 2017-2 |
| <i>Thomasomys kalinowskii</i> | Kalinowski's Oldfield Mouse | VU | LC | N | 2017-2 |
| <i>Tragelaphus derbianus</i> | Giant Eland | LC | VU | G | 2017-2 |
| <i>Urocitellus brunneus</i> | Northern Idaho Ground Squirrel | VU | CR | N | 2017-2 |
| BIRDS | | | | | |
| <i>Acrocephalus brevipennis</i> | Cape Verde Swamp-warbler | EN | VU | N | 2017-3 |
| <i>Acrocephalus rimitarae</i> | Rimatara Reed-warbler | VU | CR | N | 2017-3 |
| <i>Aegotheles wallacii</i> | Wallace's Owllet-nightjar | DD | LC | N | 2017-3 |
| <i>Aglaeactis castelnauii</i> | White-tufted Sunbeam | LC | NT | N | 2017-3 |
| <i>Alectroenas sgnanini</i> | Comoro Blue-pigeon | LC | NT | N | 2017-3 |
| <i>Alopecoenas rubescens</i> | Marquesas Ground-dove | VU | EN | N | 2017-3 |
| <i>Amazona europalliata</i> | Yellow-naped Amazon | VU | EN | N | 2017-3 |
| <i>Amazona brasiliensis</i> | Red-tailed Amazon | VU | NT | G | 2017-3 |
| <i>Amazona rhodocorytha</i> | Red-browed Amazon | EN | VU | N | 2017-3 |
| <i>Ammospiza caudacuta</i> | Saltmarsh Sparrow | VU | EN | N | 2017-3 |
| <i>Anthus crenatus</i> | Yellow-tufted Pipit | LC | NT | N | 2017-3 |
| <i>Anthus hoeschi</i> | Mountain Pipit | LC | NT | N | 2017-3 |
| <i>Aplonis brunniceicapillus</i> | White-eyed Starling | EN | VU | N | 2017-3 |
| <i>Aplonis santoverstris</i> | Mountain Starling | VU | EN | N | 2017-3 |
| <i>Apteryx mantelli</i> | Northern Brown Kiwi | EN | VU | G | 2017-3 |
| <i>Apteryx rowi</i> | Okarito Kiwi | EN | VU | G | 2017-3 |
| <i>Automolus lammi</i> | Pernambuco Foliage-gleaner | VU | EN | N | 2017-3 |
| <i>Batis minima</i> | Gabon Batis | NT | LC | N | 2017-3 |
| <i>Brachypodium fuscoflavescens</i> | Andaman Bulbul | NT | LC | N | 2017-3 |
| <i>Bubo scandiacus</i> | Snowy Owl | LC | VU | N | 2017-3 |
| <i>Buteo trizonatus</i> | Forest Buzzard | LC | NT | N | 2017-3 |
| <i>Cacomantis aeruginosus</i> | Moluccan Cuckoo | NT | LC | N | 2017-3 |
| <i>Calcarius ornatus</i> | Chestnut-collared Longspur | NT | VU | N | 2017-3 |
| <i>Casuarius casuarinus</i> | Southern Cassowary | VU | LC | N | 2017-3 |
| <i>Casuarius unappendiculatus</i> | Northern Cassowary | VU | LC | N | 2017-3 |
| <i>Certhidea olivacea</i> | Green Warbler-finches | LC | VU | N | 2017-3 |
| <i>Ceyx gentianus</i> | San Cristobal Dwarf-kingfisher | NT | LC | N | 2017-3 |
| <i>Chaetops aurantius</i> | Drakensberg Rockjumper | LC | NT | N | 2017-3 |
| <i>Chaetops frenatus</i> | Cape Rockjumper | LC | NT | N | 2017-3 |
| <i>Charadrius obscurus</i> | Southern Red-breasted Plover | EN | CR | G | 2017-3 |
| <i>Cinnyris ursulae</i> | Ursula's Sunbird | NT | LC | N | 2017-3 |
| <i>Circus maurus</i> | Black Harrier | VU | EN | N | 2017-3 |
| <i>Cisticola aberdare</i> | Aberdare Cisticola | EN | VU | N | 2017-3 |
| <i>Conothraupis mesoleuca</i> | Cone-billed Tanager | CR | EN | N | 2017-3 |
| <i>Coua verreauxi</i> | Verreaux's Coua | NT | LC | N | 2017-3 |
| <i>Crithagra leucoptera</i> | Protea Canary | LC | NT | N | 2017-3 |
| <i>Crithagra melanochroa</i> | Kipengere Seedeater | NT | LC | N | 2017-3 |
| <i>Cryptospiza shelleyi</i> | Shelley's Crimsonwing | VU | EN | N | 2017-3 |
| <i>Cyanoramphus novaezelandiae</i> | Red-fronted Parakeet | NT | LC | N | 2017-3 |
| <i>Cyclopsitta coxeni</i> | Coxen's Fig-parrot | CR | EN | N | 2017-3 |
| <i>Dendrocitta bayleii</i> | Andaman Treepie | NT | VU | N | 2017-3 |
| <i>Dendropicos dorae</i> | Arabian Woodpecker | VU | NT | N | 2017-3 |
| <i>Dicaeum proprium</i> | Whiskered Flowerpecker | NT | LC | N | 2017-3 |
| <i>Dicrurus andamanensis</i> | Andaman Drongo | NT | LC | N | 2017-3 |
| <i>Diomedea antipodensis</i> | Antipodean Albatross | VU | EN | G | 2017-3 |
| <i>Dryocopus hodgei</i> | Andaman Woodpecker | NT | VU | N | 2017-3 |
| <i>Emberiza aureola</i> | Yellow-breasted Bunting | EN | CR | G | 2017-3 |
| <i>Emberiza socotranica</i> | Socotra Bunting | VU | NT | N | 2017-3 |
| <i>Epimachus fastosus</i> | Black Sicklebill | VU | LC | N | 2017-3 |
| <i>Eriocnemis mirabilis</i> | Colorful Puffleg | CR | EN | N | 2017-3 |
| <i>Estrilda poliopareia</i> | Anambra Waxbill | VU | NT | N | 2017-3 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Eumyias albicaudatus</i> | Nilgiri Flycatcher | NT | LC | N | 2017-3 |
| <i>Eunymphicus uvaensis</i> | Ouvea Parakeet | EN | VU | N | 2017-3 |
| <i>Euptilotis neoxenus</i> | Eared Quetzal | NT | LC | N | 2017-3 |
| <i>Falco concolor</i> | Sooty Falcon | NT | VU | N | 2017-3 |
| <i>Ficedula nigrorufa</i> | Black-and-orange Flycatcher | NT | LC | N | 2017-3 |
| <i>Fraseria tessmanni</i> | Tessmann's Flycatcher | DD | LC | N | 2017-3 |
| <i>Garrulax mitratus</i> | Chestnut-capped Laughingthrush | LC | NT | G | 2017-3 |
| <i>Geocolaptes olivaceus</i> | Ground Woodpecker | LC | NT | N | 2017-3 |
| <i>Geothlypis beldingi</i> | Belding's Yellowthroat | EN | VU | N | 2017-3 |
| <i>Goldmania violiceps</i> | Violet-capped Hummingbird | LC | NT | N | 2017-3 |
| <i>Haematoopus moquini</i> | African Oystercatcher | NT | LC | N | 2017-3 |
| <i>Haliaeetus leucoryphus</i> | Pallas's Fish-eagle | VU | EN | N | 2017-3 |
| <i>Hemitriccus kaempferi</i> | Kaempfer's Tody-tyrant | EN | VU | N | 2017-3 |
| <i>Henicorhina anachoreta</i> | Hermit Wood-wren | LC | NT | N | 2017-3 |
| <i>Herpsilochmus gentryi</i> | Ancient Antwren | NT | LC | N | 2017-3 |
| <i>Heteroglaux blewitti</i> | Forest Owllet | CR | EN | N | 2017-3 |
| <i>Heteromirafra ruddi</i> | Rudd's Lark | VU | EN | N | 2017-3 |
| <i>Hypocnemis ochrogyna</i> | Rondonia Antwarbler | LC | VU | N | 2017-3 |
| <i>Hypsipetes borbonicus</i> | Reunion Bulbul | LC | NT | N | 2017-3 |
| <i>Incasپiza ortizi</i> | Grey-winged Inca-finч | VU | LC | N | 2017-3 |
| <i>Kittacincla albiventris</i> | Andaman Shama | NT | LC | N | 2017-3 |
| <i>Kupeornis giberti</i> | White-throated Mountain-babbler | EN | VU | N | 2017-3 |
| <i>Lanius ludovicianus</i> | Loggerhead Shrike | LC | NT | N | 2017-3 |
| <i>Lanius meridionalis</i> | Iberian Grey Shrike | LC | VU | G | 2017-3 |
| <i>Leptodon forbesi</i> | White-collared Kite | CR | EN | N | 2017-3 |
| <i>Lybius leucogaster</i> | White-bellied Barbet | LC | EN | N | 2017-3 |
| <i>Macropygia rufipennis</i> | Andaman Cuckoo-dove | NT | LC | N | 2017-3 |
| <i>Malaconotus alijs</i> | Uluguru Bush-shrike | CR | EN | N | 2017-3 |
| <i>Malindangia mclgregori</i> | McGregor's Cuckooshrike | NT | LC | N | 2017-3 |
| <i>Megacrex inepta</i> | New Guinea Flightless Rail | NT | LC | N | 2017-3 |
| <i>Melanocharis arfakiana</i> | Obscure Berryecker | DD | LC | N | 2017-3 |
| <i>Melignomon eisentrauti</i> | Yellow-footed Honeyguide | DD | NT | N | 2017-3 |
| <i>Mimus trifasciatus</i> | Floreana Mockingbird | CR | EN | G | 2017-3 |
| <i>Mirafra cheniana</i> | Melodious Lark | NT | LC | N | 2017-3 |
| <i>Monticola explorator</i> | Sentinel Rock-thrush | LC | NT | N | 2017-3 |
| <i>Morus capensis</i> | Cape Gannet | VU | EN | N | 2017-3 |
| <i>Myrmotherula klagesi</i> | Klages's Antwren | NT | VU | G | 2017-3 |
| <i>Myzomela batjanensis</i> | Bacan Myzomela | NT | VU | N | 2017-3 |
| <i>Nestor notabilis</i> | Kea | VU | EN | G | 2017-3 |
| <i>Ninox affinis</i> | Andaman Boobook | NT | LC | N | 2017-3 |
| <i>Ninox granti</i> | Guadalcanal Boobook | VU | NT | N | 2017-3 |
| <i>Ninox spilonotus</i> | Romblon Boobook | VU | EN | N | 2017-3 |
| <i>Ninox sumbaensis</i> | Least Boobook | NT | EN | N | 2017-3 |
| <i>Nyctiprogne viellardi</i> | Bahian Nighthawk | NT | LC | N | 2017-3 |
| <i>Onychoprion aleuticus</i> | Aleutian Tern | LC | VU | N | 2017-3 |
| <i>Otus balli</i> | Andaman Scops-owl | NT | LC | N | 2017-3 |
| <i>Otus capnodes</i> | Anjouan Scops-owl | CR | EN | N | 2017-3 |
| <i>Otus moheliensis</i> | Moheli Scops-owl | CR | EN | N | 2017-3 |
| <i>Otus pauliani</i> | Grand Comoro Scops-owl | CR | EN | N | 2017-3 |
| <i>Oxyura maccoa</i> | Maccoa Duck | NT | VU | G | 2017-3 |
| <i>Passer italiae</i> | Italian Sparrow | LC | VU | N | 2017-3 |
| <i>Pedionomus torquatus</i> | Plains-wanderer | EN | CR | G | 2017-3 |
| <i>Pelecanus crispus</i> | Dalmatian Pelican | VU | NT | G | 2017-3 |
| <i>Phylloscartes ceciliae</i> | Alagoas Tyrannulet | EN | CR | N | 2017-3 |
| <i>Pionus reichenowi</i> | Blue-breasted Parrot | LC | VU | N | 2017-3 |
| <i>Poicephalus robustus</i> | Cape Parrot | LC | VU | N | 2017-3 |
| <i>Pomarea iphis</i> | Iphis Monarch | VU | CR | N | 2017-3 |
| <i>Procellaria westlandica</i> | Westland Petrel | VU | EN | G | 2017-3 |
| <i>Promerops gurneyi</i> | Gurney's Sugarbird | LC | NT | N | 2017-3 |
| <i>Ptilopachus nahani</i> | Nahan's Partridge | EN | VU | N | 2017-3 |
| <i>Pyrrhura griseipectus</i> | Grey-breasted Parakeet | CR | EN | N | 2017-3 |
| <i>Pyrrhura leucotis</i> | White-eared Parakeet | NT | VU | N | 2017-3 |
| <i>Rallicula mayri</i> | Mayr's Forest-rail | DD | LC | N | 2017-3 |
| <i>Rallina canningi</i> | Andaman Crake | NT | LC | N | 2017-3 |
| <i>Rissa tridactyla</i> | Black-legged Kittiwake | LC | VU | G | 2017-3 |
| <i>Schistolais leontica</i> | Sierra Leone Prinia | VU | EN | N | 2017-3 |
| <i>Semioptera wallacii</i> | Standardwing Bird-of-paradise | NT | LC | N | 2017-3 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|----------------------------------|-----------------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Setophaga angelae</i> | Elfin Woods Warbler | VU | EN | N | 2017-3 |
| <i>Sittiparus owstoni</i> | Izu Tit | NT | EN | N | 2017-3 |
| <i>Spelaeornis kinneari</i> | Pale-throated Wren-babbler | VU | NT | N | 2017-3 |
| <i>Spilornis elgini</i> | Andaman Serpent-eagle | NT | VU | N | 2017-3 |
| <i>Sporophila maximiliani</i> | Great-billed Seed-finches | VU | EN | G | 2017-3 |
| <i>Strix butleri</i> | Omani Owl | LC | DD | E | 2017-1 |
| <i>Sylvia buryi</i> | Yemen Warbler | VU | NT | N | 2017-3 |
| <i>Sylvia nigricapillus</i> | Bush Blackcap | NT | VU | N | 2017-3 |
| <i>Synallaxis hellmayri</i> | Red-shouldered Spinetail | NT | LC | N | 2017-3 |
| <i>Synallaxis tithys</i> | Blackish-headed Spinetail | EN | VU | N | 2017-3 |
| <i>Thalassarche melanophris</i> | Black-browed Albatross | NT | LC | N | 2017-3 |
| <i>Todiramphus nigrocyanus</i> | Blue-black Kingfisher | DD | NT | N | 2017-3 |
| <i>Todirostrum viridanum</i> | Maracaibo Tody-flycatcher | NT | LC | N | 2017-3 |
| <i>Troglodytes cobbi</i> | Cobb's Wren | VU | LC | G | 2017-3 |
| <i>Turdus menachensis</i> | Yemen Thrush | VU | NT | N | 2017-3 |
| <i>Uroglauks dimorpha</i> | Papuan Hawk-owl | DD | LC | N | 2017-3 |
| <i>Vini ultramarina</i> | Ultramarine Lorikeet | EN | CR | N | 2017-3 |
| <i>Vireo bairdi</i> | Cozumel Vireo | LC | NT | N | 2017-3 |
| <i>Xipholena atropurpurea</i> | White-winged Cotinga | EN | VU | N | 2017-3 |
| REPTILES | | | | | |
| <i>Achalinus wernerii</i> | Amami Takachiho Snake | VU | NT | N | 2017-3 |
| <i>Acontias breviceps</i> | Short-headed Legless Skink | NT | LC | N | 2017-1 |
| <i>Acontias rieppeli</i> | Woodbush Legless Skink | VU | EN | N | 2017-1 |
| <i>Anadia pulchella</i> | Ruthven's Anadia | VU | NT | N | 2017-2 |
| <i>Aprasia aurita</i> | Eared Worm-lizard | CR | NT | N | 2017-3 |
| <i>Aspidites ramsayi</i> | Woma | EN | LC | N | 2017-3 |
| <i>Bitis inornata</i> | Plain Mountain Adder | VU | EN | N | 2017-1 |
| <i>Bradyponion dracomontanum</i> | Drakensberg Dwarf Chameleon | LC | NT | N | 2017-1 |
| <i>Bradyponion thamnobates</i> | Natal Midlands Dwarf Chameleon | LR/nt | VU | N | 2017-1 |
| <i>Calamaria pfefferi</i> | Pfeffer's Reed Snake | DD | EN | N | 2017-3 |
| <i>Callopistes maculatus</i> | Spotted False Monitor | DD | LC | N | 2017-2 |
| <i>Celestus duquesnayi</i> | Blue-tailed Galliwasp | DD | CR | N | 2017-2 |
| <i>Celestus occiduus</i> | Jamaica Giant Galliwasp | EX | CR | N | 2017-2 |
| <i>Chelonoidis chathamensis</i> | San Cristóbal Giant Tortoise | VU | EN | N | 2017-3 |
| <i>Chelonoidis duncanensis</i> | Pinzón Giant Tortoise | EW | VU | N | 2017-3 |
| <i>Chelonoidis porteri</i> | Western Santa Cruz Giant Tortoise | EN | CR | N | 2017-3 |
| <i>Contomastix vittata</i> | | CR | VU | N | 2017-2 |
| <i>Cordylus aridus</i> | Dwarf Karoo Girdled Lizard | EN | LC | N | 2017-1 |
| <i>Cordylus mclachlani</i> | Mclachlan's Girdled Lizard | VU | LC | N | 2017-1 |
| <i>Cryptactites peringueyi</i> | Salt Marsh Gecko | DD | CR | N | 2017-1 |
| <i>Ctenolepharys adspersa</i> | Cabezona | NT | VU | N | 2017-2 |
| <i>Ctenophorus yinnietharra</i> | Yinnietharra Rock Dragon | VU | LC | N | 2017-3 |
| <i>Ctenotus lancelini</i> | Lancelin Island Skink | VU | CR | N | 2017-3 |
| <i>Ctenotus zastictus</i> | Hamelin Ctenotus | VU | NT | G | 2017-3 |
| <i>Delma impar</i> | Striped Legless Lizard | VU | EN | G | 2017-3 |
| <i>Denisonia maculata</i> | Ornamental Snake | VU | DD | N | 2017-3 |
| <i>Dipsas sanctijoannis</i> | Tropical Snail-eater | DD | LC | N | 2017-2 |
| <i>Echiopsis curta</i> | Bardick | NT | LC | N | 2017-3 |
| <i>Elapognathus minor</i> | Little Brown Snake | LR/nt | LC | N | 2017-3 |
| <i>Emoia nativitatis</i> | Christmas Island Whiptail-skink | CR | EX | G | 2017-3 |
| <i>Erythrolamprus williamsi</i> | Williams' Ground Snake | EN | NT | N | 2017-2 |
| <i>Gerrhosaurus typicus</i> | Karoo Plated Lizard | LR/nt | LC | N | 2017-1 |
| <i>Goggia gemmula</i> | Richtersveld Pygmy Gecko | DD | NT | N | 2017-1 |
| <i>Goggia microlepidota</i> | Small-scaled Gecko | LR/nt | LC | N | 2017-1 |
| <i>Goniurosaurus kuroiwae</i> | Kuroiwa's Ground Gecko | EN | VU | N | 2017-3 |
| <i>Gymnophthalmus pleii</i> | Rough-scaled Worm Lizard | EN | NT | N | 2017-2 |
| <i>Homopholis mulleri</i> | Muller's Velvet Gecko | LR/nt | VU | G | 2017-1 |
| <i>Homopus signatus</i> | Speckled Dwarf Tortoise | LR/nt | VU | G | 2017-1 |
| <i>Inyoka swazicus</i> | Swazi Rock Snake | LR/nt | LC | N | 2017-1 |
| <i>Lamprophis fiskii</i> | Fisk's Snake | DD | LC | N | 2017-1 |
| <i>Lamprophis fuscus</i> | Yellow-bellied Snake | LR/nt | LC | N | 2017-1 |
| <i>Lepidodactylus listeri</i> | Christmas Island Chained Gecko | VU | EW | G | 2017-3 |
| <i>Liolaemus curicensis</i> | Curicen Tree Iguana | DD | LC | N | 2017-2 |
| <i>Liolaemus curis</i> | | DD | CR | N | 2017-2 |
| <i>Liolaemus maldonadae</i> | | DD | LC | N | 2017-2 |
| <i>Liolaemus mapuche</i> | | DD | LC | N | 2017-2 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|-----------------------------------|---|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Liolaemus paulinae</i> | | DD | CR | N | 2017-2 |
| <i>Liolaemus signifer</i> | Zodiac Tree Iguana | LC | NT | N | 2017-2 |
| <i>Liolaemus walkeri</i> | | DD | NT | N | 2017-2 |
| <i>Liolaemus williamsi</i> | | DD | LC | N | 2017-2 |
| <i>Ouroborus cataphractus</i> | Armadillo Girdled Lizard | VU | LC | N | 2017-1 |
| <i>Pareas iwasakii</i> | Iwasaki's Snail-eater | DD | NT | N | 2017-3 |
| <i>Perochirus ateloides</i> | Micronesia Saw-tailed Gecko | EN | VU | N | 2017-3 |
| <i>Platysaurus relictus</i> | Soutpansberg Flat Lizard | LR/nt | LC | G | 2017-1 |
| <i>Plestiodon kishinouyei</i> | Japanese Skink | LR/nt | VU | N | 2017-3 |
| <i>Polychnerus peruvianus</i> | | DD | VU | N | 2017-2 |
| <i>Pristidactylus alvaroi</i> | | DD | EN | N | 2017-2 |
| <i>Pristidactylus valeriae</i> | | DD | EN | N | 2017-2 |
| <i>Pseudemoia baudini</i> | Baudin's Skink | DD | LC | N | 2017-3 |
| <i>Ramphotyphlops exocoeti</i> | Christmas Island Blind Snake | VU | EN | G | 2017-3 |
| <i>Scelotes guentheri</i> | Günther's Dwarf Burrowing Skink | VU | EX | N | 2017-1 |
| <i>Scelotes inornatus</i> | Durban Dwarf Burrowing Skink | EN | CR | N | 2017-1 |
| <i>Scelotes kasneri</i> | Kasner's Dwarf Burrowing Skink | VU | NT | N | 2017-1 |
| <i>Sphaerodactylus torrei</i> | Cuban Broad-banded Sphaero | VU | EN | N | 2017-3 |
| <i>Telescopus rhinopoma</i> | Indian Desert Tiger Snake | LC | DD | N | 2017-2 |
| <i>Typhlosaurus lomiae</i> | Lomi's Blind Legless Skink | VU | NT | N | 2017-1 |
| <i>Xenocalamus transvaalensis</i> | Speckled Quill-snouted Snake | DD | LC | N | 2017-1 |
| AMPHIBIANS | | | | | |
| <i>Afrixalus nigriensis</i> | Nigeria Banana Frog | NT | LC | N | 2017-2 |
| <i>Agalychnis moreletii</i> | Morelet's Treefrog | CR | LC | N | 2017-3 |
| <i>Allobates wayuu</i> | | VU | LC | N | 2017-3 |
| <i>Alsodes barrioi</i> | Cabreria Spiny-chest Frog | VU | EN | N | 2017-2 |
| <i>Alsodes norae</i> | | DD | EN | N | 2017-2 |
| <i>Ameerega ingeri</i> | Niceforo's Poison Frog | CR | DD | N | 2017-3 |
| <i>Amietia ruwenzorica</i> | Ruwenzori River Frog | DD | LC | N | 2017-2 |
| <i>Amietia tenuoplicata</i> | Amani River Frog | NT | LC | N | 2017-2 |
| <i>Amnirana longipes</i> | Bamileke Plateau Frog | VU | LC | N | 2017-2 |
| <i>Amolops compotrix</i> | | DD | LC | N | 2017-2 |
| <i>Amolops cucae</i> | | DD | EN | N | 2017-2 |
| <i>Amolops minutus</i> | | DD | EN | N | 2017-2 |
| <i>Amolops spinaceptoralis</i> | | DD | LC | N | 2017-2 |
| <i>Amolops splendissimus</i> | | DD | VU | N | 2017-2 |
| <i>Amolops vitreus</i> | Vitreous Cascade Frog | DD | VU | N | 2017-2 |
| <i>Andinobates altobueyensis</i> | Alto de Buey Poison Frog | VU | DD | N | 2017-3 |
| <i>Andinobates bombetes</i> | Cauca Poison Frog | EN | VU | N | 2017-3 |
| <i>Andinobates daleswansoni</i> | | VU | EN | N | 2017-3 |
| <i>Andinobates viridis</i> | Green Poison Frog | VU | CR | N | 2017-3 |
| <i>Andinobates virolinensis</i> | Santander Poison Frog | EN | VU | N | 2017-3 |
| <i>Ansonia inthanon</i> | | DD | LC | N | 2017-2 |
| <i>Ansonia kraensis</i> | | DD | LC | N | 2017-2 |
| <i>Arthroleptis nlonakoensis</i> | | DD | EN | N | 2017-2 |
| <i>Astylosternus diadematus</i> | Victoria Night Frog | VU | LC | N | 2017-2 |
| <i>Astylosternus fallax</i> | Fopouanga Night Frog | EN | VU | N | 2017-2 |
| <i>Astylosternus montanus</i> | Mountain Night Frog | NT | LC | N | 2017-2 |
| <i>Astylosternus rheophilus</i> | Cameroon Range Night Frog | VU | NT | N | 2017-2 |
| <i>Atelopus carauta</i> | Rio Carauta Stubfoot Toad | CR | DD | N | 2017-3 |
| <i>Atelopus carrikeri</i> | Guajira Stubfoot Toad | CR | EN | N | 2017-3 |
| <i>Atelopus galactogaster</i> | Antado Stubfoot Toad | CR | DD | N | 2017-3 |
| <i>Atelopus guttaraensis</i> | | CR | DD | N | 2017-3 |
| <i>Atelopus lozanoi</i> | Lynch's Stubfoot Toad | CR | EN | N | 2017-3 |
| <i>Atelopus mandingues</i> | | CR | DD | N | 2017-3 |
| <i>Atelopus muisca</i> | La Arboleda Stubfoot Toad | CR | EN | N | 2017-3 |
| <i>Atelopus spurrelli</i> | Condoto Stubfoot Toad | VU | NT | N | 2017-3 |
| <i>Atelopus walkeri</i> | Walker's Stubfoot Toad | CR | DD | N | 2017-3 |
| <i>Bolitoglossa savagei</i> | Savage's Mushroomtongue Salamander | DD | NT | N | 2017-2 |
| <i>Bolitoglossa silverstonei</i> | Silverstone's Mushroomtongue Salamander | VU | DD | N | 2017-3 |
| <i>Bolitoglossa tatamae</i> | | NT | EN | N | 2017-2 |
| <i>Boophis schuboeae</i> | | DD | EN | N | 2017-2 |
| <i>Breviceps bagginsi</i> | Bilbo's Rain Frog | VU | NT | N | 2017-2 |
| <i>Breviceps macrops</i> | Desert Rain Frog | VU | NT | N | 2017-2 |
| <i>Cacosternum platys</i> | Smooth Dainty Frog | LC | NT | N | 2017-2 |
| <i>Capensibufo rosei</i> | Rose's Mountain Toadlet | VU | CR | N | 2017-2 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|------------------------------------|---------------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Cardioglossa alsco</i> | | CR | EN | N | 2017-2 |
| <i>Cardioglossa nigromaculata</i> | Blackspotted Long-fingered Frog | NT | LC | N | 2017-2 |
| <i>Cardioglossa schoetzi</i> | Acha Tugi Long-fingered Frog | EN | VU | N | 2017-2 |
| <i>Centrolene savagei</i> | Savage's Cochran Frog | VU | LC | N | 2017-3 |
| <i>Cochranella registra</i> | Urrao Cochran Frog | NT | EN | N | 2017-2 |
| <i>Colostethus agilis</i> | Cauca Rocket Frog | NT | EN | N | 2017-3 |
| <i>Colostethus fraterdanieli</i> | Santa Rita Rocket Frog | NT | LC | N | 2017-3 |
| <i>Colostethus mertensi</i> | Mertens' Rocket Frog | EN | VU | N | 2017-3 |
| <i>Colostethus ucumari</i> | | LC | EN | N | 2017-2 |
| <i>Cryptobatrachus boulengeri</i> | Boulenger's Backpack Frog | EN | VU | N | 2017-2 |
| <i>Cryptobatrachus fuhrmanni</i> | Fuhrmann's Backpack Frog | VU | LC | N | 2017-3 |
| <i>Dendropsophus stinki</i> | Kaplan's Garagoa Treefrog | VU | LC | N | 2017-3 |
| <i>Didynamipus sjostedti</i> | Four-digit Toad | EN | VU | N | 2017-2 |
| <i>Dyscophus antongilii</i> | Tomato Frog | NT | LC | N | 2017-2 |
| <i>Feihyla hansenae</i> | | DD | LC | N | 2017-2 |
| <i>Fejervarya triora</i> | | DD | LC | N | 2017-2 |
| <i>Gastrotheca antomia</i> | | VU | CR | G | 2017-3 |
| <i>Gastrotheca aureomaculata</i> | Gold-spotted Marsupial Frog | NT | EN | G | 2017-2 |
| <i>Gastrotheca bufona</i> | Antioquia Marsupial Frog | EN | VU | N | 2017-3 |
| <i>Gastrotheca ruizi</i> | Ruiz's Marsupial Frog | EN | NT | N | 2017-2 |
| <i>Hemisus guttatus</i> | Spotted Snout-burrower | VU | NT | N | 2017-2 |
| <i>Hyla nicefori</i> | Colombian Backpack Frog | CR | DD | N | 2017-3 |
| <i>Hyloscirtus callipeza</i> | Sardinata Treefrog | NT | VU | N | 2017-2 |
| <i>Hyloscirtus lynchii</i> | Lynch's Colombian Treefrog | EN | CR | N | 2017-3 |
| <i>Hyloscirtus simmonsi</i> | Simmons' Treefrog | EN | VU | N | 2017-3 |
| <i>Hyloxalus fascianigrus</i> | Rana Saltarina de Brazalete | NT | VU | N | 2017-2 |
| <i>Hyperolius bopeleti</i> | Dizangue Reed Frog | NT | VU | N | 2017-2 |
| <i>Hyperolius cinereus</i> | Monard's Reed Frog | DD | LC | N | 2017-2 |
| <i>Hypodactylus latens</i> | Boqueron Robber Frog | EN | VU | N | 2017-3 |
| <i>Kassina decorata</i> | Decorated Running Frog | DD | VU | N | 2017-2 |
| <i>Leptobrachium banae</i> | | VU | LC | N | 2017-2 |
| <i>Leptobrachium ngoclinhense</i> | | DD | EN | N | 2017-2 |
| <i>Leptodactylodon albiventris</i> | Whitebelly Egg Frog | VU | EN | N | 2017-2 |
| <i>Leptodactylodon bicolor</i> | Mountain Egg Frog | VU | NT | N | 2017-2 |
| <i>Leptodactylodon boulengeri</i> | Boulenger's Egg Frog | VU | NT | N | 2017-2 |
| <i>Leptodactylodon bueanus</i> | | VU | EN | N | 2017-2 |
| <i>Leptodactylodon ovatus</i> | Cameroon Egg Frog | NT | LC | N | 2017-2 |
| <i>Leptodactylodon wildi</i> | | EN | CR | N | 2017-2 |
| <i>Leptolalax firthii</i> | | VU | EN | N | 2017-2 |
| <i>Leptolalax pluvialis</i> | | DD | EN | N | 2017-2 |
| <i>Leptolalax solus</i> | | DD | LC | N | 2017-2 |
| <i>Leptolalax sungi</i> | | DD | LC | N | 2017-2 |
| <i>Limnonectes doriae</i> | Burmese Wart Frog | DD | LC | N | 2017-2 |
| <i>Limnonectes limborgii</i> | | DD | LC | N | 2017-2 |
| <i>Limnonectes macrognathus</i> | | DD | LC | N | 2017-2 |
| <i>Mantella bernhardi</i> | Bernhard's Mantella | EN | VU | N | 2017-2 |
| <i>Mantella crocea</i> | Eastern Golden Frog | EN | VU | N | 2017-2 |
| <i>Mantella pulchra</i> | Parker's Golden Frog | VU | NT | N | 2017-2 |
| <i>Mantidactylus albofrenatus</i> | Eastern Madagascar Frog | DD | EN | N | 2017-2 |
| <i>Mantidactylus bourgati</i> | | DD | EN | N | 2017-2 |
| <i>Mantidactylus delormei</i> | | VU | EN | N | 2017-2 |
| <i>Mantidactylus noralottae</i> | | VU | DD | N | 2017-2 |
| <i>Mantidactylus tricinctus</i> | | DD | VU | N | 2017-2 |
| <i>Mantidactylus zolitschka</i> | | DD | CR | N | 2017-2 |
| <i>Megophrys lekaguli</i> | | DD | LC | N | 2017-2 |
| <i>Microhyla annamensis</i> | Vietnam Rice Frog | LC | VU | N | 2017-2 |
| <i>Niceforonia adenobrachia</i> | | CR | EN | N | 2017-3 |
| <i>Nymphargus armatus</i> | | VU | CR | N | 2017-3 |
| <i>Nymphargus ignotus</i> | Lynch's Cochran Frog | NT | LC | N | 2017-2 |
| <i>Nymphargus truebae</i> | Trueb's Cochran Frog | DD | CR | N | 2017-3 |
| <i>Occidozyga vittata</i> | Striped Oriental Frog | DD | LC | N | 2017-2 |
| <i>Odorrana bacboensis</i> | Tonkin Frog | DD | LC | N | 2017-2 |
| <i>Odorrana indeprena</i> | | DD | VU | N | 2017-2 |
| <i>Odorrana orba</i> | | DD | LC | N | 2017-2 |
| <i>Oophaga occultator</i> | La Brea Poison Frog | DD | CR | N | 2017-3 |
| <i>Osornophryne percrassa</i> | Herveo Plump Toad | EN | VU | N | 2017-3 |
| <i>Petropedetes cameronensis</i> | Cameroon Water Frog | NT | LC | N | 2017-2 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|------------------------------------|-----------------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Phrynobatrachus asper</i> | Itombwe River Frog | DD | VU | N | 2017-2 |
| <i>Phrynobatrachus cricogaster</i> | Nkongsamba River Frog | VU | NT | N | 2017-2 |
| <i>Phrynobatrachus stewartae</i> | Stewart's River Frog | DD | LC | N | 2017-2 |
| <i>Phrynobatrachus ukingensis</i> | Ukinga River Frog | DD | LC | N | 2017-2 |
| <i>Phyllobates aurotaenia</i> | Kokoe Poison Frog | NT | LC | N | 2017-2 |
| <i>Phyllobates bicolor</i> | Black-legged Poison Dart Frog | NT | EN | N | 2017-2 |
| <i>Pristimantis affinis</i> | Cundinamarca Robber Frog | VU | EN | N | 2017-3 |
| <i>Pristimantis alalocophus</i> | Quindío Robber Frog | NT | EN | N | 2017-3 |
| <i>Pristimantis bipunctatus</i> | | DD | LC | N | 2017-3 |
| <i>Pristimantis cabrerai</i> | Valle Robber Frog | EN | DD | N | 2017-3 |
| <i>Pristimantis calcaratus</i> | San Antonio Robber Frog | EN | VU | N | 2017-3 |
| <i>Pristimantis carmelitae</i> | Carmelita's Robber Frog | DD | EN | N | 2017-3 |
| <i>Pristimantis cordovae</i> | Rana Campanita | VU | EN | N | 2017-3 |
| <i>Pristimantis cosnipayae</i> | Rio Cosnipata Robber Frog | EN | CR | N | 2017-3 |
| <i>Pristimantis cristinae</i> | Cristina's Robber Frog | DD | EN | N | 2017-2 |
| <i>Pristimantis delicatus</i> | Delicate Robber Frog | DD | EN | N | 2017-3 |
| <i>Pristimantis diaphonus</i> | Rio Calima Robber Frog | VU | CR | N | 2017-3 |
| <i>Pristimantis dorsopictus</i> | Serna's Robber Frog | EN | VU | N | 2017-3 |
| <i>Pristimantis fetosus</i> | Rana Camuflada | EN | NT | N | 2017-3 |
| <i>Pristimantis frater</i> | Meta Robber Frog | VU | LC | N | 2017-3 |
| <i>Pristimantis hybotragus</i> | Aqua Bonita Robber Frog | VU | EN | N | 2017-3 |
| <i>Pristimantis insignitus</i> | Ground Robber Frog | EN | NT | N | 2017-3 |
| <i>Pristimantis jaimei</i> | Jaime's Robber Frog | DD | CR | N | 2017-3 |
| <i>Pristimantis johannesdei</i> | | EN | VU | N | 2017-3 |
| <i>Pristimantis juanchoi</i> | Rana Duende Juancho | NT | VU | N | 2017-3 |
| <i>Pristimantis kelephus</i> | | VU | CR | N | 2017-3 |
| <i>Pristimantis lasalleorum</i> | | DD | EN | N | 2017-3 |
| <i>Pristimantis lemur</i> | Rana Picuda | EN | VU | N | 2017-3 |
| <i>Pristimantis lindae</i> | | DD | LC | N | 2017-3 |
| <i>Pristimantis maculosus</i> | Spotted Robber Frog | EN | VU | N | 2017-3 |
| <i>Pristimantis mars</i> | | EN | CR | N | 2017-3 |
| <i>Pristimantis melanogaster</i> | | EN | NT | N | 2017-3 |
| <i>Pristimantis merostictus</i> | Bogotacito Robber Frog | EN | VU | N | 2017-3 |
| <i>Pristimantis miyatai</i> | Miyata's Robber Frog | NT | LC | N | 2017-3 |
| <i>Pristimantis molybrignus</i> | Uribe Robber Frog | NT | CR | G | 2017-3 |
| <i>Pristimantis orpacobates</i> | | VU | NT | N | 2017-3 |
| <i>Pristimantis pardalinus</i> | | CR | EN | N | 2017-3 |
| <i>Pristimantis penelopus</i> | Rana de Ingles Negras y Amarillas | VU | LC | N | 2017-3 |
| <i>Pristimantis phalarus</i> | | VU | EN | N | 2017-3 |
| <i>Pristimantis polychrus</i> | | EN | VU | N | 2017-3 |
| <i>Pristimantis quantus</i> | | VU | EN | N | 2017-3 |
| <i>Pristimantis salaputium</i> | | DD | LC | N | 2017-2 |
| <i>Pristimantis satagius</i> | | DD | EN | N | 2017-3 |
| <i>Pristimantis spilogaster</i> | Gambita Robber Frog | EN | CR | N | 2017-3 |
| <i>Pristimantis suetus</i> | Rana Minuscula | EN | VU | N | 2017-3 |
| <i>Pristimantis viridis</i> | | NT | EN | N | 2017-3 |
| <i>Pristimantis xylochobates</i> | | VU | CR | N | 2017-3 |
| <i>Pristimantis zophus</i> | | EN | NT | N | 2017-3 |
| <i>Psychrophrynella bagrecito</i> | Bagrecito Andes Frog | VU | CR | N | 2017-2 |
| <i>Ptychadenia broadleyi</i> | Broadley's Ridged Frog | EN | NT | N | 2017-2 |
| <i>Quasipaa delacouri</i> | Doi Chang Asian Frog | DD | LC | N | 2017-2 |
| <i>Raorchestes gryllus</i> | | DD | VU | N | 2017-2 |
| <i>Rhacophorus annamensis</i> | Annam Flying Frog | VU | LC | N | 2017-2 |
| <i>Rhacophorus robinsonii</i> | Robinson's Flying Frog | DD | LC | N | 2017-2 |
| <i>Rhaebo hypomelas</i> | Choco Toad | NT | LC | N | 2017-2 |
| <i>Rhinella lindae</i> | Murri Beaked Toad | DD | EN | N | 2017-2 |
| <i>Rhinella macrorhina</i> | Santa Rita Beaked Toad | EN | VU | N | 2017-3 |
| <i>Rhinella manu</i> | | VU | LC | N | 2017-3 |
| <i>Rhinella ruizi</i> | | DD | VU | N | 2017-3 |
| <i>Rhinella tenrec</i> | Antioquia Beaked Toad | DD | EN | N | 2017-2 |
| <i>Rulyrana susatamai</i> | | VU | NT | N | 2017-3 |
| <i>Sachatamia punctulata</i> | | EN | VU | N | 2017-2 |
| <i>Scaphiophryne boribory</i> | | EN | VU | N | 2017-2 |
| <i>Sclerophrys perreti</i> | Perret's Toad | VU | CR | N | 2017-2 |
| <i>Strabomantis cadenai</i> | Nutibara Robber Frog | DD | CR | N | 2017-2 |
| <i>Telmatobius atahualpai</i> | Amazonas Water Frog | NT | VU | N | 2017-3 |
| <i>Telmatobius brevipes</i> | Huahachuco Water Frog | EN | VU | N | 2017-3 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|---------------------------------------|---------------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Telmatobius colanensis</i> | Colan Water Frog | EN | DD | N | 2017-3 |
| <i>Telmatobius necopinus</i> | Wiens' Water Frog | EN | DD | N | 2017-3 |
| <i>Telmatobius punctatus</i> | Huánaco Water Frog | CR | EN | N | 2017-3 |
| <i>Telmatobius rimac</i> | Rimac Water Frog | LC | VU | N | 2017-3 |
| <i>Telmatobius truebae</i> | Trueb's Water Frog | EN | VU | N | 2017-3 |
| <i>Telmatobufo australis</i> | Pelado Mountains False Toad | VU | LC | N | 2017-2 |
| <i>Telmatobufo bullocki</i> | Bullock's Mountains False Toad | CR | EN | N | 2017-2 |
| <i>Theloderma corticale</i> | Tonkin Bug-eyed Frog | DD | LC | N | 2017-2 |
| <i>Theloderma petilum</i> | | DD | VU | N | 2017-2 |
| <i>Theloderma phrynodera</i> | Burmese Bug-eyed Frog | DD | LC | N | 2017-2 |
| <i>Theloderma ryabovi</i> | | DD | EN | N | 2017-2 |
| <i>Vandijkophrynus inyangae</i> | Inyanga Toad | EN | VU | N | 2017-2 |
| <i>Xenopus fraseri</i> | Fraser's Clawed Frog | LC | DD | N | 2017-2 |
| <i>Xenopus itombwensis</i> | Itombwe Massif Clawed Frog | CR | EN | N | 2017-2 |
| BONY FISHES | | | | | |
| <i>Austroglanis gilli</i> | Clanwilliam Rock Catfish | VU | NT | N | 2017-3 |
| <i>Chiloglanis bifurcus</i> | Incomati Suckermouth | EN | CR | G | 2017-3 |
| <i>Coregonus huntsmani</i> | Atlantic Whitefish | VU | CR | N | 2017-3 |
| <i>Doryichthys boaja</i> | Long-snouted Pipefish | LC | DD | N | 2017-3 |
| <i>Doryichthys contiguus</i> | Pygmy pipefish | LC | DD | N | 2017-3 |
| <i>Doryichthys deokhatooides</i> | | LC | DD | N | 2017-3 |
| <i>Doryichthys martensi</i> | Longsnouted Pipefish | LC | DD | N | 2017-3 |
| <i>Enteromius gurneyi</i> | Redtail Barb | LC | VU | G | 2017-3 |
| <i>Enteromius treurensis</i> | Treuer River Barb | EN | CR | N | 2017-3 |
| <i>Euryptegastes draconis</i> | Short Dragonfish | DD | LC | N | 2017-3 |
| <i>Favonigobius reichei</i> | Indo-pacific Tropical Sand Goby | LR/nt | LC | N | 2017-3 |
| <i>Hippocampus abdominalis</i> | Pot-bellied Seahorse | DD | LC | N | 2017-3 |
| <i>Hippocampus angustus</i> | Narrow-bellied Seahorse | DD | LC | N | 2017-3 |
| <i>Hippocampus breviceps</i> | Short-snouted Seahorse | DD | LC | N | 2017-3 |
| <i>Hippocampus fisheri</i> | Hawaiian Seahorse | DD | LC | N | 2017-3 |
| <i>Hippocampus jayakari</i> | Jayakar's Seahorse | DD | LC | N | 2017-3 |
| <i>Hippocampus mohnikei</i> | Japanese Seahorse | DD | VU | N | 2017-3 |
| <i>Hippocampus planifrons</i> | Flatface Seahorse | VU | LC | N | 2017-3 |
| <i>Hippocampus pontohi</i> | Pontoh's Pygmy Seahorse | DD | LC | N | 2017-3 |
| <i>Hippocampus reidi</i> | Long-snout Seahorse | DD | NT | N | 2017-3 |
| <i>Hippocampus whitei</i> | White's Seahorse | DD | EN | N | 2017-3 |
| <i>Hippocampus zosterae</i> | Dwarf Seahorse | DD | LC | N | 2017-3 |
| <i>Kneria sp. nov. 'South Africa'</i> | Southern Kneria 'South Africa' | CR | EN | N | 2017-3 |
| <i>Labeo seeberi</i> | Clanwilliam Sandfish | CR | EN | N | 2017-3 |
| <i>Labeobarbus seeberi</i> | Clanwilliam Yellowfish | VU | NT | N | 2017-3 |
| <i>Marcusenius pongolensis</i> | | DD | LC | N | 2017-3 |
| <i>Microphism dunckeri</i> | | LC | DD | N | 2017-3 |
| <i>Pegasus laternarius</i> | Brick Seamount | VU | DD | N | 2017-3 |
| <i>Phycodurus eques</i> | Leafy Seadragon | NT | LC | N | 2017-2 |
| <i>Phyllopteryx taeniolatus</i> | Weedy Seadragon | NT | LC | N | 2017-2 |
| <i>Pseudobarbus calidus</i> | Clanwilliam Redfin | VU | NT | N | 2017-3 |
| <i>Pseudobarbus serra</i> | Clanwilliam Sawfin | EN | NT | N | 2017-3 |
| <i>Siokunichthys nigrolineatus</i> | Mushroom-coral Pipefish | LC | DD | N | 2017-2 |
| <i>Solegnathus robustus</i> | Robust Pipehorse | DD | LC | N | 2017-3 |
| <i>Syngnathoides biaculeatus</i> | Alligator Pipefish | DD | LC | N | 2017-2 |
| <i>Vanacampus vercoi</i> | Verco's Pipefish | VU | LC | N | 2017-3 |
| SHARKS & RAYS | | | | | |
| <i>Acroteriobatus salalah</i> | Salalah Guitarfish | DD | NT | N | 2017-2 |
| <i>Acroteriobatus variegatus</i> | Stripenose Guitarfish | DD | CR | N | 2017-2 |
| <i>Aristurus indicus</i> | Smallbelly Catshark | DD | LC | N | 2017-2 |
| <i>Benthobatis moresbyi</i> | Indian Blind Numbfish | DD | LC | N | 2017-2 |
| <i>Carcharhinus falciformis</i> | Silky Shark | NT | VU | N | 2017-3 |
| <i>Carcharhinus leiodon</i> | Smoothtooth Blacktip Shark | VU | EN | N | 2017-2 |
| <i>Ctenacis fehlmanni</i> | Harlequin Catshark | DD | LC | N | 2017-2 |
| <i>Glaucostegus halavi</i> | Halavi Guitarfish | DD | VU | N | 2017-2 |
| <i>Halaelurus boesemani</i> | Speckled Catshark | DD | VU | N | 2017-2 |
| <i>Neoharriotta pumila</i> | Arabian Sicklefin Chimaera | DD | LC | N | 2017-2 |
| <i>Pastinachus sephen</i> | Cowtail Ray | DD | NT | N | 2017-2 |
| <i>Rhinobatos punctifer</i> | Spotted Guitarfish | DD | NT | N | 2017-2 |
| <i>Torpedo adenensis</i> | Aden Torpedo | NT | EN | N | 2017-2 |
| <i>Torpedo suessii</i> | Red Sea Torpedo | DD | CR | N | 2017-2 |
| LAMPREYS | | | | | |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|---|---------------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Entosphenus macrostoma</i> | Lake Lamprey | DD | EN | N | 2017-3 |
| MOLLUSCS | | | | | |
| <i>Acroloxus coloradensis</i> | Rocky Mountain Capshell | VU | NT | N | 2017-3 |
| <i>Alasmidonta marginata</i> | Elktoe | DD | LC | N | 2017-3 |
| <i>Alasmidonta varicosa</i> | Brook Floater | DD | VU | N | 2017-3 |
| <i>Amphorella cimensis</i> | | VU | NT | G | 2017-3 |
| <i>Amphorella melampoides</i> | | VU | LC | G | 2017-3 |
| <i>Arion obesoductus</i> | | DD | LC | N | 2017-3 |
| <i>Atlantica engonata</i> | | DD | CR | N | 2017-3 |
| <i>Atlantica scutula</i> | | LR/nt | LC | N | 2017-3 |
| <i>Boettgeria crista</i> | | NT | EN | G | 2017-3 |
| <i>Boettgeria obesiuscula</i> | | VU | CR | G | 2017-3 |
| <i>Bofilliella subarcuata</i> | | VU | NT | N | 2017-3 |
| <i>Charpentieria dyodon</i> | | LR/nt | LC | N | 2017-3 |
| <i>Cryptazeca elongata</i> | | VU | CR | N | 2017-3 |
| <i>Cryptazeca monodonta</i> | | VU | EN | N | 2017-3 |
| <i>Cryptazeca spelaea</i> | | VU | NT | N | 2017-3 |
| <i>Cryptazeca subcylindrica</i> | | VU | LC | N | 2017-3 |
| <i>Hypnophila remyi</i> | Brillante corse | DD | LC | N | 2017-3 |
| <i>Lampsilis cardium</i> | | LR/nt | LC | N | 2017-3 |
| <i>Lampsilis cariosa</i> | Yellow Lampmussel | EN | VU | N | 2017-3 |
| <i>Lampsilis ovata</i> | | LR/nt | LC | N | 2017-3 |
| <i>Ligumia nasuta</i> | Eastern Pondmussel | LR/nt | VU | G | 2017-3 |
| <i>Ligumia recta</i> | Black Sandshell | LC | NT | N | 2017-3 |
| <i>Malacolimax wiktori</i> | | LR/nt | EN | G | 2017-3 |
| <i>Mediterranea amaltheae</i> | | VU | CR | N | 2017-3 |
| <i>Muticaria macrostoma</i> | | LR/nt | LC | N | 2017-3 |
| <i>Neniatlanta pauli</i> | Clausilie basque | VU | LC | N | 2017-3 |
| <i>Obovaria subrotunda</i> | Round Hickorynut | LR/nt | EN | G | 2017-3 |
| <i>Oxychilus agostinhoi</i> | | VU | CR | G | 2017-3 |
| <i>Oxychilus basajaua</i> | | LR/nt | EN | N | 2017-3 |
| <i>Oxychilus lineolatus</i> | | VU | LC | N | 2017-3 |
| <i>Pomatias raricosta</i> | | LR/lc | DD | N | 2017-3 |
| <i>Ptychobranchus fasciolaris</i> | Kidneyshell | LR/lc | NT | G | 2017-3 |
| <i>Retinella stabilei</i> | | VU | DD | N | 2017-3 |
| <i>Sculptiferussacia clausiliaeformis</i> | | EN | NT | N | 2017-3 |
| <i>Simpsonaias ambigua</i> | Salamander Mussel | LR/cd | VU | N | 2017-3 |
| <i>Tandonia nigra</i> | | DD | LC | N | 2017-3 |
| <i>Valvata tricarinata</i> | Threeridge Valvata | DD | LC | N | 2017-3 |
| <i>Vitre a pseudotrolli</i> | Cristalline des Alpes-Maritimes | VU | NT | N | 2017-3 |
| <i>Vitre striata</i> | | DD | CR | N | 2017-3 |
| <i>Zonites anaphiensis</i> | | LR/nt | VU | N | 2017-3 |
| <i>Zospeum biscaicense</i> | | VU | NT | N | 2017-3 |
| DRAGONFLIES & DAMSELFLIES | | | | | |
| <i>Acanthaeschna victoria</i> | Thylacine Darner | VU | EN | N | 2017-1 |
| <i>Aciagrion brosseti</i> | Yellow-winged Slim | DD | LC | N | 2017-3 |
| <i>Acisoma ascalaphoides</i> | Littoral Pintail | LC | EN | N | 2017-2 |
| <i>Aethiothemis mediofasciata</i> | Orange Flasher | DD | LC | N | 2017-3 |
| <i>Africocypha lacuselephantum</i> | Kaleidoscope Jewel | VU | LC | N | 2017-3 |
| <i>Agriocnemis angustiramis</i> | Liberian Wisp | VU | LC | N | 2017-3 |
| <i>Agriocnemis dobsoni</i> | Tropical Wisp | DD | NT | N | 2017-1 |
| <i>Antipodogomphus dentosus</i> | Top End Dragon | VU | DD | N | 2017-1 |
| <i>Astroargiolestes brookhousei</i> | Barrington Flatwing | DD | LC | N | 2017-1 |
| <i>Austrolestes minjerriba</i> | Dune Ringtail | EN | LC | N | 2017-1 |
| <i>Azuragrion buchholzi</i> | Forest Azuret | NT | LC | N | 2017-3 |
| <i>Ceriagrion katambariae</i> | White-faced Waxtail | DD | LC | N | 2017-3 |
| <i>Ceriagrion nigrolineatum</i> | | DD | LC | N | 2017-1 |
| <i>Coenagrionemis insularis</i> | | CR | EN | N | 2017-2 |
| <i>Cordulegaster princeps</i> | Atlas Goldenring | NT | LC | N | 2017-3 |
| <i>Cordulephyia bidens</i> | Tropical Shutwing | DD | VU | N | 2017-1 |
| <i>Cornigomphus guineensis</i> | | DD | LC | N | 2017-3 |
| <i>Cornigomphus mariannae</i> | | DD | LC | N | 2017-3 |
| <i>Dromaeschna forcipata</i> | Green-striped Darner | NT | LC | N | 2017-1 |
| <i>Elatoneura morini</i> | Mealy Threadtail | DD | LC | N | 2017-3 |
| <i>Erpetogomphus heterodon</i> | Dashed Ringtail | DD | LC | N | 2017-3 |
| <i>Eurysticta coomalie</i> | Coomalie Pin | NT | LC | N | 2017-1 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|-------------------------------------|---------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Griseargoolestes bucki</i> | Turquoise Flatwing | DD | VU | N | 2017-1 |
| <i>Hemigomphus theischingeri</i> | Rainforest Vicetail | LC | NT | N | 2017-1 |
| <i>Indolestes alleni</i> | Small Reedling | DD | LC | N | 2017-1 |
| <i>Libyogomphus christinae</i> | Western Horntail | DD | LC | N | 2017-3 |
| <i>Libyogomphus emiliae</i> | Gabon Horntail | DD | LC | N | 2017-3 |
| <i>Macromia viridescens</i> | Rainforest Cruiser | DD | LC | N | 2017-1 |
| <i>Mesocnemis saralisa</i> | Congo Riverjack | DD | LC | N | 2017-3 |
| <i>Nesocordulia villiersi</i> | | DD | EN | N | 2017-2 |
| <i>Nesolestes martini</i> | | DD | LC | N | 2017-1 |
| <i>Nesolestes pauliani</i> | | DD | EN | N | 2017-2 |
| <i>Neurocordulia michaeli</i> | Broad-tailed Shadowdragon | DD | LC | N | 2017-3 |
| <i>Neurogomphus corythus</i> | Kocytos Siphontail | DD | LC | N | 2017-3 |
| <i>Nososticta kalumburu</i> | Spot-winged Threadtail | DD | LC | N | 2017-1 |
| <i>Nubiolestes diotima</i> | African Twigtail | VU | LC | N | 2017-3 |
| <i>Orthetrum balteatum</i> | Speckled Skimmer | LC | NT | N | 2017-1 |
| <i>Paragomphus machadoi</i> | Forest Hooktail | DD | LC | N | 2017-3 |
| <i>Phyllomacromia occidentalis</i> | Brown-templed Cruiser | DD | LC | N | 2017-3 |
| <i>Platycnemis pseudalatipes</i> | | DD | LC | N | 2017-2 |
| <i>Platycypha eliseva</i> | Lucifer Jewel | DD | LC | N | 2017-3 |
| <i>Platycypha picta</i> | Petite Jewel | DD | LC | N | 2017-3 |
| <i>Proplatycnemis hova</i> | | DD | LC | N | 2017-2 |
| <i>Pseudagrion apicale</i> | | DD | LC | N | 2017-1 |
| <i>Pseudagrion coeruleipunctum</i> | Pretty Sprite | DD | LC | N | 2017-3 |
| <i>Pseudagrion grilloti</i> | Orange-striped Sprite | DD | LC | N | 2017-3 |
| <i>Pseudagrion igniceps</i> | | DD | LC | N | 2017-1 |
| <i>Sapho fumosa</i> | Smokewing | DD | LC | N | 2017-3 |
| <i>Somatochlora sahlbergi</i> | Treeline Emerald | DD | LC | N | 2017-3 |
| <i>Spinaeschna watsoni</i> | Tropical Cascade Darner | DD | LC | N | 2017-1 |
| <i>Synthemis gomphomacromioides</i> | Tasmanian Spotwing | NT | LC | N | 2017-1 |
| <i>Trithemis fumosa</i> | Smoky Dropwing | DD | LC | N | 2017-3 |
| <i>Viridithemis viridula</i> | | DD | LC | N | 2017-1 |
| BEETLES | | | | | |
| <i>Ampedus corsicus</i> | | NT | VU | N | 2017-1 |
| <i>Ampedus talamellii</i> | | DD | LC | N | 2017-1 |
| <i>Dorcus musimon</i> | | LC | VU | N | 2017-1 |
| <i>Gnorimus decempunctatus</i> | | VU | EN | N | 2017-2 |
| <i>Protaetia sardaea</i> | | DD | VU | N | 2017-2 |
| <i>Stenagostus laufferi</i> | | DD | LC | N | 2017-1 |
| <i>Stenagostus sardinensis</i> | | DD | EN | N | 2017-1 |
| <i>Triplax emeai</i> | | VU | EN | N | 2017-1 |
| PLANTS | | | | | |
| <i>Acropogon aoupinensis</i> | | VU | EN | N | 2017-2 |
| <i>Acropogon bullatus</i> | | NT | EN | N | 2017-2 |
| <i>Acropogon calciculus</i> | | EN | VU | N | 2017-2 |
| <i>Acropogon fatsioides</i> | | VU | NT | N | 2017-2 |
| <i>Acropogon megaphyllus</i> | | VU | EN | N | 2017-2 |
| <i>Acropogon veillonii</i> | | EN | VU | N | 2017-2 |
| <i>Actinokentia huermanni</i> | | LR/cd | EN | N | 2017-3 |
| <i>Aesculus hippocastanum</i> | Horse Chestnut | NT | VU | N | 2017-3 |
| <i>Aloe ballii</i> | | EN | VU | N | 2017-1 |
| <i>Andropogon bentii</i> | | DD | EN | N | 2017-2 |
| <i>Anisoptera curtisia</i> | | CR | VU | N | 2017-3 |
| <i>Anisoptera laevis</i> | | EN | VU | N | 2017-3 |
| <i>Anisoptera scaphula</i> | | CR | EN | N | 2017-3 |
| <i>Arbutus canariensis</i> | | VU | NT | N | 2017-3 |
| <i>Atriplex lanfrancoi</i> | Maltese Cliff Orache | CR | EN | N | 2017-3 |
| <i>Balaka macrocarpa</i> | | CR | EN | N | 2017-3 |
| <i>Balaka microcarpa</i> | | EN | CR | N | 2017-3 |
| <i>Basselinia favieri</i> | | VU | EN | N | 2017-3 |
| <i>Basselinia humboldtiana</i> | | LR/cd | NT | N | 2017-3 |
| <i>Basselinia iterata</i> | | VU | EN | N | 2017-3 |
| <i>Basselinia pancheri</i> | | NT | LC | N | 2017-3 |
| <i>Basselinia porphyrea</i> | | LR/cd | EN | N | 2017-3 |
| <i>Basselinia tomentosa</i> | | VU | NT | N | 2017-3 |
| <i>Basselinia vestita</i> | | VU | CR | N | 2017-3 |
| <i>Berberis maderensis</i> | | DD | CR | N | 2017-3 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|------------------------------------|----------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Berlinia hollandii</i> | | EN | CR | N | 2017-3 |
| <i>Blyxa hexandra</i> | | DD | LC | N | 2017-1 |
| <i>Carex runssoroensis</i> | | VU | LC | N | 2017-1 |
| <i>Carpha angustissima</i> | | NT | EN | N | 2017-1 |
| <i>Chamaemeles coriacea</i> | | VU | EN | N | 2017-3 |
| <i>Chambeyronia lepidota</i> | | LR/cd | LC | N | 2017-3 |
| <i>Clinosperma lanuginosa</i> | | LR/cd | EN | N | 2017-3 |
| <i>Coffea costatifructa</i> | | VU | EN | N | 2017-3 |
| <i>Coffea pseudozanguebariae</i> | | VU | NT | N | 2017-3 |
| <i>Coffea togoensis</i> | | VU | EN | N | 2017-3 |
| <i>Convolvulus fernandesii</i> | | VU | EN | N | 2017-3 |
| <i>Cunonia aouipiriensis</i> | | VU | NT | N | 2017-2 |
| <i>Cunonia rotundifolia</i> | | LR/cd | NT | N | 2017-2 |
| <i>Cyphokentia cerifera</i> | | LR/cd | NT | N | 2017-3 |
| <i>Cyphophoenix elegans</i> | | VU | EN | N | 2017-3 |
| <i>Cyphophoenix nucifera</i> | | CR | VU | N | 2017-3 |
| <i>Cytisus aeolicus</i> | | CR | EN | N | 2017-3 |
| <i>Dactylorhiza elata</i> | Stately Dactylorhiza | LC | NT | N | 2017-3 |
| <i>Daphne rodiguezii</i> | | VU | EN | N | 2017-3 |
| <i>Diospyros feliciana</i> | | VU | EN | N | 2017-2 |
| <i>Diplodiscus paniculatus</i> | | VU | DD | N | 2017-3 |
| <i>Dipterocarpus alatus</i> | | EN | VU | N | 2017-3 |
| <i>Dipterocarpus baudii</i> | | CR | VU | N | 2017-3 |
| <i>Dipterocarpus chartaceus</i> | | CR | EN | N | 2017-3 |
| <i>Dipterocarpus cinereus</i> | | EX | CR | N | 2017-3 |
| <i>Dipterocarpus costatus</i> | | EN | VU | N | 2017-3 |
| <i>Dipterocarpus crinitus</i> | | EN | VU | N | 2017-3 |
| <i>Dipterocarpus dyeri</i> | | CR | EN | N | 2017-3 |
| <i>Dipterocarpus gracilis</i> | | CR | VU | N | 2017-3 |
| <i>Dipterocarpus grandiflorus</i> | | CR | EN | N | 2017-3 |
| <i>Dipterocarpus hasseltii</i> | | CR | EN | N | 2017-3 |
| <i>Dipterocarpus intricatus</i> | | LR/lc | EN | N | 2017-3 |
| <i>Dipterocarpus kerrii</i> | | CR | EN | N | 2017-3 |
| <i>Dipterocarpus obtusifolius</i> | | LR/lc | NT | N | 2017-3 |
| <i>Dipterocarpus retusus</i> | | VU | EN | N | 2017-3 |
| <i>Dipterocarpus tuberculatus</i> | | LR/lc | NT | N | 2017-3 |
| <i>Dipterocarpus turbinatus</i> | | CR | VU | N | 2017-3 |
| <i>Dipteronia sinensis</i> | | LR/nt | DD | N | 2017-3 |
| <i>Dorstenia astyanactis</i> | | EN | VU | N | 2017-3 |
| <i>Eclipta prostrata</i> | Eclipte Blanche | DD | LC | N | 2017-1 |
| <i>Euphorbia margalidiana</i> | Spurge of Margadiles Islet | CR | VU | N | 2017-3 |
| <i>Euphorbia robivelonae</i> | | CR | EN | N | 2017-2 |
| <i>Frangula azorica</i> | | LR/nt | LC | N | 2017-3 |
| <i>Fraxinus profunda</i> | Pumpkin Ash | LC | CR | N | 2017-2 |
| <i>Fritillaria rhodocanakis</i> | | EN | LC | N | 2017-3 |
| <i>Genista dorycnifolia</i> | | DD | VU | N | 2017-3 |
| <i>Guaiacum coulteri</i> | Guayacan | LR/cd | VU | N | 2017-3 |
| <i>Guaiacum sanctum</i> | Holywood Lignum Vitae | EN | NT | N | 2017-3 |
| <i>Helichrysum formosissimum</i> | | DD | LC | N | 2017-1 |
| <i>Hopea apiculata</i> | | CR | EN | N | 2017-3 |
| <i>Hopea beccariana</i> | | CR | VU | N | 2017-3 |
| <i>Hopea canarensis</i> | | DD | EN | N | 2017-3 |
| <i>Hopea griffithii</i> | | VU | EN | N | 2017-3 |
| <i>Hopea helferi</i> | | CR | EN | N | 2017-3 |
| <i>Hopea latifolia</i> | | CR | DD | N | 2017-3 |
| <i>Hopea mollissima</i> | | CR | EN | N | 2017-3 |
| <i>Hopea pierrei</i> | | EN | VU | N | 2017-3 |
| <i>Hopea sangal</i> | | CR | VU | N | 2017-3 |
| <i>Hopea sub lanceolata</i> | | CR | VU | N | 2017-3 |
| <i>Hopea thorelli</i> | | CR | EN | N | 2017-3 |
| <i>Hygrophila asteracanthoides</i> | | NT | VU | N | 2017-1 |
| <i>Hymenophyllum maderense</i> | Madeira Filmy Fern | DD | CR | N | 2017-2 |
| <i>Ilex canariensis</i> | | LR/nt | LC | N | 2017-3 |
| <i>Impatiens bururiensis</i> | | CR | EN | N | 2017-2 |
| <i>Juglans regia</i> | Common Walnut | NT | LC | N | 2017-3 |
| <i>Kentiopsis magnifica</i> | | VU | EN | N | 2017-3 |
| <i>Lagarosiphon hydriolooides</i> | | DD | EN | N | 2017-1 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|----------------------------------|--------------------------|-------------------------------|-------------------------------|-------------------|------------------|
| <i>Laurus azorica</i> | Macaronesian Laurel | LR/nt | LC | N | 2017-3 |
| <i>Luzula johnstonii</i> | | DD | LC | N | 2017-1 |
| <i>Maytenus canariensis</i> | Peralillo | LR/cd | NT | N | 2017-3 |
| <i>Melicope lunu-ankenda</i> | | EN | LC | N | 2017-3 |
| <i>Neobalanocarpus heimii</i> | | VU | EN | N | 2017-3 |
| <i>Nothofagus alpina</i> | Raulí | LR/nt | LC | N | 2017-3 |
| <i>Nymphoides tenuissima</i> | | NT | EN | N | 2017-1 |
| <i>Ocotea foetens</i> | Tilo | LR/nt | LC | N | 2017-3 |
| <i>Olea chimaniana</i> | | VU | LC | N | 2017-1 |
| <i>Olea maderensis</i> | | DD | LC | N | 2017-3 |
| <i>Ophrys lunulata</i> | Lunulate Ophrys | NT | LC | N | 2017-3 |
| <i>Ottelia scabra</i> | | NT | LC | N | 2017-1 |
| <i>Ottelia verdecii</i> | | DD | LC | N | 2017-1 |
| <i>Pan cheria humboldtiana</i> | | LR/cd | NT | N | 2017-2 |
| <i>Pan cheria multijuga</i> | | LR/cd | EN | N | 2017-2 |
| <i>Pan cheria robusta</i> | | LR/cd | EN | N | 2017-2 |
| <i>Parashorea stellata</i> | White Seraya | CR | VU | N | 2017-3 |
| <i>Persea indica</i> | Viñatigo | LR/cd | LC | N | 2017-3 |
| <i>Persea liebmanni</i> | | VU | LC | N | 2017-3 |
| <i>Persea schiediana</i> | Coyo Avocado | VU | EN | N | 2017-3 |
| <i>Phylloxyton arenicola</i> | | CR | EN | N | 2017-3 |
| <i>Phylloxyton xiphoclada</i> | | CR | EN | N | 2017-2 |
| <i>Physacanthus nematosiphon</i> | | DD | NT | N | 2017-3 |
| <i>Picconia azorica</i> | | EN | LC | N | 2017-3 |
| <i>Picconia excelsa</i> | Palo Blanco | VU | LC | N | 2017-3 |
| <i>Pilularia globulifera</i> | Pillwort | NT | LC | N | 2017-2 |
| <i>Pittosporum artense</i> | | VU | CR | N | 2017-3 |
| <i>Pittosporum brevispinum</i> | | EN | CR | G | 2017-3 |
| <i>Pittosporum gatopense</i> | | VU | CR | N | 2017-3 |
| <i>Pittosporum muricatum</i> | | EN | CR | N | 2017-3 |
| <i>Pittosporum ornatum</i> | | EN | CR | N | 2017-3 |
| <i>Platanus orientalis</i> | Oriental Plane-tree | LR/lc | DD | N | 2017-3 |
| <i>Pleiomeris canariensis</i> | Delfino | VU | CR | N | 2017-3 |
| <i>Populus nigra</i> | Black Poplar | LC | DD | N | 2017-3 |
| <i>Pritchardia thurstonii</i> | | LR/nt | VU | N | 2017-3 |
| <i>Psilotrichum axilliflorum</i> | | VU | EN | N | 2017-1 |
| <i>Pteris incompleta</i> | Laurisilva Brake | VU | NT | N | 2017-2 |
| <i>Pterocarpus marsupium</i> | East Indian/Malabar Kino | VU | NT | N | 2017-3 |
| <i>Pyrus castrionensis</i> | | DD | LC | N | 2017-3 |
| <i>Pyrus sicanorum</i> | | DD | LC | N | 2017-3 |
| <i>Quercus depressipes</i> | Davis Mountain Oak | DD | LC | N | 2017-2 |
| <i>Quercus engelmannii</i> | Engelmann Oak | VU | EN | N | 2017-2 |
| <i>Quercus tardifolia</i> | Chisos Mountains Oak | CR | DD | N | 2017-2 |
| <i>Quercus tomentella</i> | Island Oak | VU | EN | N | 2017-2 |
| <i>Quercus toumeyi</i> | Toumey Oak | LR/lc | DD | N | 2017-2 |
| <i>Ravenea rivularis</i> | Majestic Palm | EN | VU | N | 2017-2 |
| <i>Rhamnus crenulata</i> | Espino negro | LR/nt | LC | N | 2017-3 |
| <i>Rhamnus glandulosa</i> | Sanguino | LR/cd | LC | N | 2017-3 |
| <i>Rhamnus integrifolia</i> | Moralito | VU | NT | N | 2017-3 |
| <i>Salix canariensis</i> | Sauce | LR/lc | NT | N | 2017-3 |
| <i>Salix tarraconensis</i> | Salenca Tortosina | CR | VU | N | 2017-3 |
| <i>Scilla lochiae</i> | | DD | NT | N | 2017-3 |
| <i>Scilla morrisii</i> | Morris Squill | CR | EN | N | 2017-3 |
| <i>Serianthes myriadienia</i> | | LR/nt | VU | N | 2017-3 |
| <i>Shorea farinosa</i> | | CR | EN | N | 2017-3 |
| <i>Shorea foxworthyi</i> | | CR | VU | N | 2017-3 |
| <i>Shorea guiso</i> | Red Balau | CR | VU | N | 2017-3 |
| <i>Shorea hypochra</i> | White Meranti | CR | EN | N | 2017-3 |
| <i>Shorea laevis</i> | | LR/lc | VU | N | 2017-3 |
| <i>Shorea leprosula</i> | Light Red Meranti | EN | NT | N | 2017-3 |
| <i>Shorea longisperma</i> | Yellow Meranti | CR | EN | N | 2017-3 |
| <i>Shorea obtusa</i> | | LR/lc | NT | N | 2017-3 |
| <i>Shorea roxburghii</i> | White Meranti | EN | VU | N | 2017-3 |
| <i>Shorea singkawang</i> | Dark Red Meranti | CR | VU | N | 2017-3 |
| <i>Shorea sumatrana</i> | | CR | EN | N | 2017-3 |
| <i>Shorea thorelii</i> | | CR | VU | N | 2017-3 |
| <i>Sideroxylon mirmulans</i> | Marmulan | VU | EN | N | 2017-3 |

| Scientific name | Common name | IUCN Red List (2016) Category | IUCN Red List (2017) Category | Reason for change | Red List version |
|----------------------------------|-----------------------|-------------------------------------|-------------------------------------|----------------------|---------------------|
| <i>Sorbus anglica</i> | English Whitebeam | VU | NT | N | 2017-2 |
| <i>Sorbus arranensis</i> | Arran Whitebeam | VU | EN | N | 2017-2 |
| <i>Sorbus evansii</i> | Evans's Whitebeam | EN | CR | N | 2017-3 |
| <i>Sorbus kmetiana</i> | | EN | CR | N | 2017-3 |
| <i>Sorbus lancastriensis</i> | Lancashire Whitebeam | LR/nt | LC | N | 2017-2 |
| <i>Sorbus leptophylla</i> | Thin-Leaved Whitebeam | CR | EN | N | 2017-2 |
| <i>Sorbus pseudofennica</i> | Arran Service-tree | VU | CR | N | 2017-2 |
| <i>Sorbus pseudothuringiaca</i> | | VU | EN | N | 2017-2 |
| <i>Sorbus subcuneata</i> | Somerset Whitebeam | VU | EN | N | 2017-2 |
| <i>Sorbus vexans</i> | Bloody Whitebeam | VU | CR | N | 2017-2 |
| <i>Sorbus wilmottiana</i> | Wilmott's Whitebeam | CR | EN | G | 2017-2 |
| <i>Sphaeranthus samburuensis</i> | | DD | EN | N | 2017-1 |
| <i>Vatica bella</i> | | CR | DD | N | 2017-3 |
| <i>Vatica cinerea</i> | | EN | DD | N | 2017-3 |
| <i>Vatica diaspyroidea</i> | | CR | EN | N | 2017-3 |
| <i>Vatica guangxiensis</i> | | CR | EN | N | 2017-3 |
| <i>Vatica mangachapoi</i> | | EN | VU | N | 2017-3 |
| <i>Vatica pauciflora</i> | | EN | VU | N | 2017-3 |
| <i>Vatica philastraea</i> | | DD | EN | N | 2017-3 |
| <i>Vatica staphiana</i> | | EN | VU | N | 2017-3 |
| <i>Veitchia simulans</i> | | VU | DD | N | 2017-3 |
| <i>Visnea mocanera</i> | Mocán | LR/cd | LC | N | 2017-3 |
| <i>Weinmannia ouaiemensis</i> | | VU | CR | N | 2017-2 |